	L#	Hits	Search Text	DBs
1	L1	369	send\$3 near3 (domain adj name or dns) near4 (query or request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
2	L2	57478	(multiple or plural or group or number or numerous or many or two or three or local near5 remote) near5 (dns or domain adj name or server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
3	L3	9	I1 and "I2"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
4	L4	298	I1 and I2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
5	L5	80	1 same 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
6	L6	44	5 and (@ad<"20010823" or @prad<"20010823")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
7	L7	3095	server near3 modem	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
8	L8	1687	7 with (communicat\$3 or connect\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
9	L9	17	dns near3 server near3 modem	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
10	L10	22	dns near3 server near3 vpn	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
11	L11	171	server near2 modem with (communicat\$3 or connect\$3) near5 client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
12	L12	134	11 and (@ad<"20010823" or @prad<"20010823")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
13	L13	43	dns adj server with modem	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
14	L14	28	13 and (@ad<"20010823" or @prad<"20010823")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB